


UNDERGROUND DEWATERING 'FISH TANKS/PODS'

Portable - 4.0m³ 10.0m³ 14.0m³ Capacity



PORTABLE 'FISH TANKS' OR 'PODS' ARE USED IN UNDERGROUND MINES AS A PART OF THE WATER MANAGEMENT PROCESS | MINE WATER IS COLLECTED FROM SUMPS AND WET AREAS BY AIR DRIVEN WILDEN PUMPS

4.0m³ capacity



PUMP: FLOWSERVE TITAN SLURRY TYPE
MOTOR: 110KW
PERFORMANCE: 40.0 L/SEC @130 METRES
PUMP OUTLET: INCLUDES CHECK & ISOLATION VALVES, 150NB VICTAULIC CONNECTIONS
TANK INLET: 2 X 150NB VICTAULIC & 4 X 50MM CAMLOCK INLETS WITH INTERNAL EL-BOWS TO REDUCE INFILL SPLASHING
CONSTRUCTION: HD MILD STEEL, HOT DIPPED GALVANISED
TRANSPORT: WITH QDS LIFT ATTACHMENT, SIDE ENTRY FORK SLOTS, RIPTOW LUGS EACH CORNER

SELF CLEANING: ELLIPTICAL CONE SUMP FITTED WITH FLUSH POINTS MINIMISES SOLIDS BUILD-UP
TANK PROTECTION: MESH COVER TO PREVENT OBSTRUCTIONS FROM ENTERING TANK
POD DIMENSIONS (M): 2.48W x 4.25L x 1.99H
TANK ACCESS: BUILT-IN STEP LADDER
PUMP & MOTOR MOUNTING: ALL MOUNTED ON A REMOVABLE CASSETTE TO FACILITATE SERVICING

10.0m³ capacity



C/W 315KW stand alone pump set



BRISBANE
15/140 Wecker Rd
MANSFIELD Q4121
P: 07 3828 7000

MACKAY
9-15 Industrial St
MACKAY, Q4740
P: 07 4969 4949

ROCKHAMPTON
94 Elphinstone St,
NTH ROCKHAMPTON Q4700
P: 07 4923 6969

TOWNSVILLE
P: 0447796686

E: brisbane@dowdens.com.au

W: www.dowdens.com.au

